Ceiling Lamp Box

COMMERCIAL
FLUORESCENT
INCANDESCENT

VIRDEN Lighting

LIST PRICE SHEET

A-7

ILLUSTRATED PRICE SHEET

COVERING CATALOG NO. VC-70 • EFFECTIVE DATE APRIL 15-1962

SUPERSEDES ALL PREVIOUS PRICE LISTS

RETURN TO
DESIGN DIV.
PATENT OFFICE
NOV 9 1962
DIVISIONS 81 & 82

GENERAL TERMS AND CONDITIONS

1. All fixtures are Union made and carry the IBEW (AFL) Union label.
2. Fixtures are approved and carry the label of Underwriters' Laboratories, Inc.
3. Prices are subject to change without notice. Merchandise returned without authorization will not be accepted.
4. Claims for damage or loss in transit must be made directly with carrier.



CATALOG NUMBER	PAGE NUMBER	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
LC-1811	8	8" Opal Glass; Sand Rose Decor; 58" Drop; Satin White; 1-100 Watt	1	3	$14.95
LC-1812	8	8" Opal Glass; Tawny Beige Decor; 58" Drop; Satin White; 1-100 Watt	1	3	14.95
LC-1813	8	8" Opal Glass; Charcoal Decor; 58" Drop; Satin White; 1-100 Watt	1	3	14.95
LC-1814	8	8" White Opal Glass (No Striping); 58" Drop; Satin White; 1-100 Watt	1	3	12.95
LC-1821	8	9¾" Opal Glass; Sand Rose Decor; 61" Drop; Satin White; 1-150 Watt	1	5	21.95
LC-1822	8	9¾" Opal Glass; Tawny Beige Decor; 61" Drop; Satin White; 1-150 Watt	1	5	21.95
LC-1823	8	9¾" Opal Glass; Charcoal Decor; 61" Drop; Satin White; 1-150 Watt	1	5	21.95
LC-1824	8	9¾" White Opal Glass (No Striping); 61" Drop; Satin White; 1-150 Watt	1	5	16.95
LC-1826	6	5¼x13" White Opal Glass; 68" Drop; Satin White and Walnut; 1-100 Watt	1	3	14.95
LC-1836	10	10½" Shade; Satin White with Red; 58" Drop; 1-100 Watt	1	4	15.95
LC-1837	10	10½" Shade; Satin White with Yellow; 58" Drop; 1-100 Watt	1	4	15.95
LC-1838	10	10½" Shade; Satin White with Turquoise; 58" Drop; 1-100 Watt	1	4	15.95
LC-1845	8	11" Opal Glass (No Striping); 59" Drop; Satin White; 1-150 Watt	1	5	17.95
LC-1846	8	11" Opal Glass; Mist Gray Decor; 59" Drop; Satin White; 1-150 Watt	1	5	18.95
LC-1856	8	13¾" Opal Glass; Mist Gray Decor; 70" Drop; Satin White; 1-150 Watt	1	9	21.95
LC-1864	6	5½x14" Opal Glass w/Walnut Slats; 63" Drop; Satin White; 1-150 Watt	1	4	21.95
LC-1866	4	5½x14" Opal Glass; 63" Drop; Satin White; 1-150 Watt	1	3	13.95
LC-1873	4	20" Spread; 60" Drop; Satin White and Gray; 1-150 Watt	1	8	16.95

CATALOG NUMBER	PAGE NUMBER	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
LC-1876	4	10" Opal Glass; 60" Drop; Satin White; 1-150 Watt	1	5	14.95
LC-1877	4	10" Opal Glass; 43" Drop; Satin White (Sectional Stem); 1-150 Watt	1	5	14.95
LC-1886	4	12" Opal Glass; 62" Drop; Satin White; 1-200 Watt	1	7½	17.95
LC-1887	4	12" Opal Glass; 45" Drop; Satin White (Sectional Stem); 1-200 Watt	1	7½	17.95
LC-1897	4	14" Opal Glass; 62" Drop; Satin White (Sectional Stem); 1-200 or 300 Watt	1	11	21.95
LC-1900	6	6¼x21" Ceramic; 50" Drop; Satin White and Walnut (Sectional Stem); 1-150 Watt	1	7	24.95
LC-1905	6	8¾x15" Ceramic; 43¾" Drop; Satin White and Walnut (Sectional Stem); 1-150 Watt	1	7½	24.95
LC-1906	10	9x15" Ceramic; 60" Drop; Satin White and Walnut; 1-150 Watt	1	7½	21.95
LC-1910	13	Spreader Kit (3 in Line); Natural Walnut and White Canopy	6	6	7.25
LC-1913	13	Spreader Kit (Cluster of 3); Natural Walnut and White Canopy	4	4½	8.80
LC-1914	13	Spreader Kit (Cluster of 4); Natural Walnut and White Canopy	6	6	10.95
LC-1915	13	Spreader Kit (Cluster of 5); Natural Walnut and White Canopy	6	7½	13.95
LC-1983	12	Wondabar 3 Light Kit: Dove Gray	1	5	14.95
LC-1984	12	Wondabar 4 Light Kit: Dove Gray	1	6	17.95
LC-1985	12	Wondabar 5 Light Kit: Dove Gray	1	6	19.95
LC-1990	4	16" Opal Glass; 39" Drop (Sectional Stem); Satin White; 3-75 Watt	1	9	22.95
LC-4000	14	10" Opal Glass Drum; Depth 5¼"; Satin Aluminum Trim; 2-60 Watt	6	24	9.95
LC-4005	14	12" Opal Glass Drum; Depth 5½"; Satin Aluminum Trim; 3-60 Watt	4	24	12.95
LC-4010	14	14" Opal Glass Drum; Depth 6¼"; Satin Aluminum Trim; 3-75 Watt	4	34	14.95
LC-4103	16	6" Diameter, Depth 4½"; Satin White w/Opal Glass; 1-60 Watt	4	8	4.25
LC-4113	16	8" Diameter; Depth 4½"; Satin White; w/Opal Glass; 1-100 Watt	4	13	5.95
LC-4123	16	10" Diameter, Depth 4½"; Satin White; w/Opal Glass; 1-150 Watt	4	21	9.95
LC-4133	16	12" Diameter, Depth 4½"; Satin White; w/Opal Glass; 3-60 Watt	1	4¾	13.95
LC-4183	16	8" Square, Depth 4½"; Satin White; w/Opal Glass; 1-100 Watt	4	15	11.95
LC-4188	16	12" Square, Depth 4½"; Satin White; w/Opal Glass; 1-150 Watt	1	6	17.95
LC-4193	16	16" Square, Depth 4½"; Satin White; w/Opal Glass; 4-60 Watt	1	8½	27.95
LC-4461	10	12" Diameter, Depth 4¾"; Satin Aluminum; Opal Glass; 2-60 Watt	4	18½	15.95
LC-4466	10	16" Diameter; Depth 8"; Satin Aluminum; Opal Glass; 3-60 Watt	1	5½	21.95
LC-5003	30	6½" Diameter, Depth 6½"; Satin White; 75W—R-30; Spot or Flood	6	14	8.45

Prices Quoted Do Not Include Lamps

	CATALOG NUMBER	PAGE NUMBER	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
	LC-5051	14	5x7 ½" Opal Glass; Sand Rose Decor; Satin White Trim; 100W "A" Type or 75W—R-30	6	12	8.50
	LC-5052	14	5x7 ½" Opal Glass; Tawny Beige Decor; Satin White Trim; 100W "A" Type or 75W—R-30	6	12	8.50
	LC-5053	14	5x7 ½" Opal Glass; Charcoal Decor; Satin White Trim; 100W "A" Type or 75W—R-30	6	12	8.50
	LC-5054	14	5x7 ½" White Opal Glass (No Striping); Satin White Trim; 100W "A" Type or 75W—R-30	6	12	6.95
	LC-6050	18	4⅝x7¾" Louvered Cylinder; Satin White; 1-75W—R-30	6	6	7.95
	LC-6055	18	6x8¾" Louvered Cylinder; Satin White; 1-150W—R-40	6	10	9.95
	LC-6060	18	6" Single Light; End Mount; Louvered; Satin Aluminum; 150W—R-40 or 150W—Par-38	4	6¾	9.95
	LC-6065	18	6" Twin Light; End Mount; Louvered; Satin Aluminum; 2-150W—R-40 or 150W—Par-38	4	10½	17.95
	LC-6400	14	Wall Light with Switch; Opal Glass 5x14"; Satin Aluminum; 1-100 Watt	1	5	12.95
	LC-6405	14	Wall or Ceiling Opal Glass 16x4¾"; Satin Aluminum; 2-100 Watt	1	6	17.95
	LC-7010	28	Cast Aluminum Wall Light with 8½" Opal Glass; Satin Aluminum; 1-100 Watt	1	7	17.95
	LC-7410	28	Cast Aluminum Ceiling Light with 8½" Opal Glass; Satin Aluminum; 1-100 Watt	1	6	15.95
	LC-8205	30	Overall 5½"; Open Bottom; Satin White Trim; 1-75W—R-30	6	18	4.95
	LC-8206	30	Overall 6¾"; Open Bottom; Satin White Trim; 1-150W—R-40	6	18	5.30
	LC-8215	30	Overall 7"; Louvered Bottom; 1-75W—R-30; Satin White Trim	6	19	6.45
	LC-8216	30	Overall 8⅛"; Louvered Bottom; 1-150W—R-40; Satin White Trim	6	20	6.95
	LC-8235	30	Overall 6¼"; Shower Light; 1-75 Watt; Satin White Trim	6	23	6.45
	LC-8583	30	Eye Ball Unit; Dia. 4⅝"; 6⅛" Deep, Flange 7⅞"; O.A. 7⅝"; Satin White; 1-75W—R-30; w/Plaster Ring	6	20	9.95
	LC-8863	31	Diameter 12"; Louvered; Adjustable; Satin White Trim; 1-75W—R-30	1	8¼	17.95
	LC-8873	31	Diameter 12"; Open Bottom; Adjustable; Satin White Trim; 1-75W—R-30	1	8¼	16.95

PRE-WIRED SQUARE RECESSED FIXTURES

Note: Housing, Trim, and Glassware are each packed separately in individual shipping cartons and must be ordered accordingly.


DROP OPAL


ALBALITE


HOUSING


FRESNEL LENS


BENT DEC.

	CATALOG NUMBER	PAGE NUMBER	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
HOUSING ONLY	V-83	30-31	8"x8"x5"; 75W	1	4	$8.00
TRIM ONLY	V-30	30-31	Brass Trim; 9⅜"x9⅜"	6	6	3.55
	V-31	30-31	Copper Trim; 9⅜"x9⅜"	6	6	3.55
	V-32	30-31	Chromium Trim; 9⅜"x9⅜"	6	6	3.55
	V-33	30-31	Satin Aluminum Trim; 9⅜"x9⅜"	6	6	3.55
	V-34	30-31	Satin White Trim; 9⅜"x9⅜"	6	6	2.90

Prices Quoted Do Not Include Lamps

PRE-WIRED SQUARE RECESSED FIXTURES (cont.)

	CATALOG NUMBER	PAGE NUMBER	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
GLASS ONLY	V-36	30-31	Albalite Glass	6	8	1.45
	V-37	30-31	Drop Opal Glass	4	8	2.22
	V-38	30-31	Bent Decorated Glass	4	5	2.22
	V-39	30-31	Fresnel Lens	6	12½	2.80
HOUSING ONLY	V-84	30-31	10"x10"x5"; 100W	1	5	8.55
TRIM ONLY	V-40	30-31	Brass Trim; 11⅜"x11⅜"	6	8	4.15
	V-41	30-31	Copper Trim; 11⅜"x11⅜"	6	8	4.15
	V-42	30-31	Chromium Trim; 11⅜"x11⅜"	6	8	4.15
	V-43	30-31	Satin Aluminum Trim; 11⅜"x11⅜"	6	8	4.15
	V-44	30-31	Satin White Trim; 11⅜"x11⅜"	6	8	3.45
GLASS ONLY	V-46	30-31	Albalite Glass	6	11	1.90
	V-47	30-31	Drop Opal Glass	4	8	2.80
	V-48	30-31	Bent Decorated Glass	4	6	2.80
	V-49	30-31	Fresnel Lens	6	17	3.35
HOUSING ONLY	V-85	30-31	12"x12"x5"; 150W	1	6	9.10
TRIM ONLY	V-50	30-31	Brass Trim; 13⅜"x13⅜"	6	14	4.65
	V-51	30-31	Copper Trim; 13⅜"x13⅜"	6	14	4.65
	V-52	30-31	Chromium Trim; 13⅜"x13⅜"	6	14	4.65
	V-53	30-31	Satin Aluminum Trim; 13⅜"x13⅜"	6	14	4.65
	V-54	30-31	Satin White Trim; 13⅜"x13⅜"	6	14	4.25
GLASS ONLY	V-56	30-31	Albalite Glass	6	14	2.25
	V-57	30-31	Drop Opal Glass	4	16	3.35
	V-58	30-31	Bent Decorated Glass	4	8	3.35
	V-59	30-31	Fresnel Lens	6	27	4.45
BAR HANGERS	V-90	30-31	Bar Hangers (Pair)	6 Pr.	11	.75
	V-7882	28	Lengtl. 7"; Satin Aluminum; 1-100 Watt	6	13	5.75
	V-7892	28	Height 7"; Satin Aluminum; 1-100 Watt	6	13	7.60
	V-8875	21	Grid Only for 48 Sq. Foot Luminous Ceiling	1	23	29.95
	V-8880	21	Grid Only for 120 Sq. Foot Luminous Ceiling	1	47	59.90
	V-8885	21	Grid Only for 192 Sq. Foot Luminous Ceiling	1	73	89.90
	V-8886	21	Honeylite 2'x2' Diffuser	Bulk		5.45
	V-8887	21	Honeylite 2'x4' Diffuser	Bulk		10.45
	V-8890	20	Circle Grid 2'x2' Square	Bulk		9.45
	V-8897	20	Circle Grid 2'x4'	Bulk		16.95
	V-8891	20	Cubed Louver 2'x2' Square	Bulk		6.95
	V-8898	20	Cubed Louver 2'x4'	Bulk		12.95
	V-8882	21	Prismatic 2'x4' Diffuser	Bulk		11.70
	V-8892	21	Prismatic 2'x2' Diffuser	Bulk		8.45
	V-8878		Strialite 2'x2'	Bulk		3.90
	V-8879		Strialite 2'x4'	Bulk		7.25
	V-8896	20	Polarized 2'x2' Diffuser	Bulk		9.95
	V-8899	20	Polarized 2'x4' Diffuser	Bulk		19.95

LUMINOUS CEILING PARTS LIST

	F-542	21	Cross Tee 2 ft.	.75
	F-543	21	Main Tee 10 ft.	3.35
	F-544	21	Intersection Clip	.15
	F-545	21	Wall Channel 10 ft.	2.45
	F-546	21	Channel Connector	.35
	F-547	21	Main Tee Connector	.25
	F-548	21	Corner Cap (Inner)	.45
	F-574	21	Corner Cap (Outer)	.45
	F-580	21	Hold-Down Clip ⅛"	.15
	F-580-1	21	Hold-Down Clip ½"	.15
	V-8888	21	Grid Support	1.45

	CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
	LD-4725	5	HPF-UL	50°	2F40—48″ Rapid Start	1	19	$24.55
	LD-4745	5	HPF-UL	50°	4F40—48″ Rapid Start	1	30	40.75
	LD-8750	32	LPF-UL	50°	2F20T12—24″ Quick Start	1	19	23.70
	LD-8850	32	HPF-UL	50°	2F40—48″ Rapid Start	1	31	35.45

STRIP SERIES

2 11/16″ Cross Section

	LD-9115	19	LPF-UL	0°	1F15T12—18″ Strip Preheat	12	34	4.10
	LD-9117	19	LPF-UL	50°	1F15T12—18″ Strip Quick Start	12	47	6.80
	LD-9120	19	LPF-UL	0°	1F20T12—24″ Strip—Preheat	12	43	4.10
	LD-9123	19	LPF-UL	50°	1F20T12—24″ Strip Quick Start	12	57	6.80



4 1/4″ Cross Section

	LD-9125	19	LPF-UL	0°	2F20T12—24″ Parallel Preheat	2	11	6.80
	LD-9127	19	LPF-UL	50°	2F20T12—24″ Parallel Quick Start	2	14	10.05



2 11/16″ Cross Section

	LD-9130	18	LPF-UL	0°	1F30T8—36″ Strip Preheat	6	37	6.60
	LD-9133	18	LPF-UL	50°	1F30T12-RS—36″ Strip Rapid Start	6	37	7.75
	LD-9140	18	LPF-UL	0°	1F40—48″ Strip Preheat	6	44	6.15
	LD-9145	18	LPF-UL	50°	1F40—48″ Strip Rapid Start	6	45	7.75
	LD-9146	18	HPF-CBM	50°	1F40—48″ Strip Rapid Start	6	55	13.15
	LD-9147	18	LPF	50°	1F40—48″ Dimmer Strip Rapid Start	6	48	15.05
	LD-9148	18	HPF	50°	1F40—48″ Dimmer Strip Rapid Start	6	53	18.70
	LD-9149	18	HPF-UL	50°	1F40—48″ Dimmer Strip Rapid Start	6	68	29.15

UNSHIELDED COMMERCIAL



2 11/16″ Cross Section

	LD-9151	18	HPF-UL	0°	2F40—96″ Tandem Preheat	1	14	15.15
	LD-9153	18	HPF-UL	50°	2F40—96″ Tandem Rapid Start	1	14	16.60

2 11/16″ Cross Section

	LD-9160	19	LPF	50°	1F40—48″ Control and Auxiliary S.C.R. Dimmer System Rapid Start	1	14	74.35
	LD-9165	19	LPF	50°	1F40—48″ Dimmer Strip S.C.R. Dimmer System Rapid Start	6	68	16.10

3 5/8″ Cross Section

	LD-9224	26	HPF-UL	50°	2F40—4′ Rapid Start Turret Type	1	13	18.30
	LD-9244	26	HPF-UL	50°	4F40—4′ Rapid Start Turret Type	1	18	30.85

3 5/8″ Cross Section

	LD-9314	23	HPF-CBM	0°	1F48T12—4′ Slimline Tombstone	1	15	19.35
	LD-9316	23	HPF-UL	50°	1F72T12—6′ Slimline Tombstone	1	21	19.85
	LD-9318	23	HPF-UL	50°	1F96T12—8′ Slimline Tombstone	1	22	20.40

3 5/8″ Cross Section

	LD-9319	23	HPF-UL	50°	2F96T12—16′ Slimline Tandem Tombstone	1	39	30.85



5″ Cross Section

	LD-9320	23	HPF-UL	50°	2F96T12—8′ Slimline Box Type	2	53	19.35
	LD-9322	23	HPF-UL	50°	2F84T12—4′ Slimline Box Type	2	43	21.40
	LD-9323	23	HPF-UL	50°	2F72T12—6′ Slimline Box Type	2	47	21.40

3 5/8″ Cross Section

	LD-9324	26	HPF-UL	50°	2F48T12—4′ Slimline Turret Type	1	16	21.95
	LD-9326	26	HPF-UL	50°	2F72T12—6′ Slimline Turret Type	1	23	22.45
	LD-9328	26	HPF-UL	50°	2F96T12—8′ Slimline Turret Type	1	24	21.40

3 5/8″ Cross Section

	LD-9334	26	HPF-UL	50°	3F48T12—4′ Slimline Turret Type	1	28	39.70
	LD-9336	26	HPF-UL	50°	3F72T12—6′ Slimline Turret Type	1	32	38.70
	LD-9338	26	HPF-UL	50°	3F96T12—8′ Slimline Turret Type	1	34	38.70
	LD-9339	26	HPF-UL	50°	6F96T12—16′ Slimline Tandem Turret Type	1	59	65.85



3 5/8″ Cross Section

	LD-9344	26	HPF-UL	50°	4F48T12—4′ Slimline Turret Type	1	23	40.75
	LD-9346	26	HPF-UL	50°	4F72T12—6′ Slimline Turret Type	1	29	36.60
	LD-9348	26	HPF-UL	50°	4F96T12—8′ Slimline Turret Type	1	34	36.60

STRIP SERIES (cont.)

	CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
4¼" Cross Section	LD-9354	23	HPF-CBM	0°	1F48T12—4′ Slimline Tombstone	1	14	18.30
	LD-9356	23	HPF-UL	50°	1F72T12—6′ Slimline Tombstone	1	18	16.20
	LD-9358	23	HPF-UL	50°	1F96T12—8′ Slimline Tombstone	1	21	15.15
	LD-9360	23	HPF-UL	50°	2F96T12—16′ Slimline Tandem Tombstone	1	36	26.65
4¼" Cross Section	LD-9362	23	HPF-UL	50°	2F40—4′ Rapid Start	1	11	13.05
	LD-9364	23	HPF-UL	50°	2F48T12—4′ Slimline	1	14	18.50
	LD-9366	23	HPF-UL	50°	2F72T12—6′ Slimline	1	19	16.20
	LD-9368	23	HPF-UL	50°	2F96T12—8′ Slimline	1	21	15.15
6¾" Cross Section	LD-9370	24	HPF-UL	50°	2F40—4′ Rapid Start	1	14	15.70
	LD-9371	24	HPF-UL	50°	2F48T12—4′ Slimline	1	18	22.15
	LD-9372	24	HPF-UL	50°	2F72T12—6′ Slimline	1	22	21.40
	LD-9373	24	HPF-UL	50°	2F96T12—8′ Slimline	1	27	21.40
	LD-9374	24	HPF-UL	50°	2F48T12/HO—4′ High Output 800 MA	1	21	38.65
	LD-9375	24	HPF-CBM	0°	2F72T12/HO—6′ High Output 800 MA	1	24	36.05
	LD-9376	24	HPF-CBM	50°	2F96T12/HO—8′ High Output 800 MA	1	37	36.05
 6¾" Cross Section	LD-9377	24	HPF-UL	50°	3F40—4′ Rapid Start	1	26	26.45
	LD-9378	24	HPF-UL	50°	3F48T12—4′ Slimline	1	29	39.20
	LD-9379	24	HPF-UL	50°	3F72T12—6′ Slimline	1	31	37.40
	LD-9380	24	HPF-UL	50°	3F96T12—8′ Slimline	1	40	37.40
	LD-9381	24	HPF-UL	0°	3F48T12/HO—4′ High Output 800 MA	1	39	63.75
	LD-9382	24	HPF-UL	50°	3F72T12/HO—6′ High Output 800 MA	1	52	64.80
	LD-9383	24	HPF-CBM	50°	3F96T12/HO—8′ High Output 800 MA	1	53	64.80
8½" Cross Section	LD-9386	25	HPF-UL	50°	3F40—4′ Rapid Start	1	24	25.30
	LD-9387	25	HPF-UL	50°	3F48T12—4′ Slimline	1	28	39.20
	LD-9388	25	HPF-UL	50°	3F72T12—6′ Slimline	1	40	37.40
	LD-9389	25	HPF-UL	50°	3F96T12—8′ Slimline	1	42	37.40
	LD-9390	25	HPF-UL	0°	3F48T12/HO—4′ High Output 800 MA	1	34	64.05
	LD-9391	25	HPF-UL	50°	3F72T12/HO—6′ High Output 800 MA	1	45	66.15
	LD-9392	25	HPF-CBM	50°	3F96T12/HO—8′ High Output 800 MA	1	49	66.15
 8½" Cross Section	LD-9393	25	HPF-UL	50°	4F40—4′ Rapid Start	1	21	25.30
	LD-9394	25	HPF-UL	50°	4F48T12—4′ Slimline	1	27	38.45
	LD-9395	25	HPF-UL	50°	4F72T12—6′ Slimline	1	33	35.45
	LD-9396	25	HPF-UL	50°	4F96T12—8′ Slimline	1	35	35.45
	LD-9397	25	HPF-UL	50°	4F48T12/HO—4′ High Output 800 MA	1	24	66.80
	LD-9398	25	HPF-CBM	0°	4F72T12/HO—6′ High Output 800 MA	1	45	68.85
	LD-9399	25	HPF-CBM	50°	4F96T12/HO—8′ High Output 800 MA	1	52	68.85
3⅝" Cross Section	LD-9414	23	HPF-UL	50°	1F48T12/HO—4′ High Output 800 MA Tombstone	1	22	26.95
	LD-9416	23	HPF-CBM	50°	1F72T12/HO—6′ High Output 800 MA Tombstone	1	28	30.95
	LD-9418	23	HPF-CBM	50°	1F96T12/HO—8′ High Output 800 MA Tombstone	1	29	30.95
	LD-9419	23	HPF-CBM	50°	2F96T12/HO—16′ High Output 800 MA Tandem	1	46	44.95

TURRET TYPE COMMERCIAL

 3⅝" Cross Section	LD-9424	26	HPF-UL	50°	2F48T12/HO—4′ High Output 800 MA	1	19	38.65
	LD-9426	26	HPF-CBM	0°	2F72T12/HO—6′ High Output 800 MA	1	28	37.10
	LD-9428	26	HPF-CBM	50°	2F96T12/40—8′ High Output 800 MA	1	30	37.10

POWER GROOVE STRIP—WILL ACCEPT PG-17, VHO-T12, OR SHO-T12

3⅝" Cross Section	LD-9514	23	HPF-UL 1F48 (PG-VHO-SHO) 1500 MA Tombstone	—20°F		1	28	$42.85
	LD-9516	23	HPF-UL 1F72 (PG-VHO-SHO) 1500 MA Tombstone	—20°F		1	31	44.95
	LD-9518	23	HPF-CBM 1F96 (PG-VHO-SHO) 1500 MA Tombstone	0°F		1	36	44.95
	LD-9519	23	HPF-CBM 2F96 (PG-VHO-SHO) 1500 MA Tandem Tombstone	—20°F		1	52	68.45

PLASTIC DIFFUSERS

CATALOG NUMBER	PAGE NUMBER	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
LD-9610	19	Plastic Shield for 15W Strip	6	5	2.50
LD-9612	19	Plastic Shield for 20W Strip	6	8	3.15
LD-9613	19	Plastic Shield for 30W Strip	6	10	4.50
LD-9614	19	Plastic Shield for 40W Strip	6	13	5.25
LD-9624	27	Plastic Shield for use with LD-9224	1	5	9.40
LD-9625	27	Plastic Shield for use with LD-9324, LD-9334, LD-9424	1	5	9.40
LD-9626	27	Plastic Shield for use with LD-9326, LD-9336, LD-9426	1	7	15.15
LD-9628	27	Plastic Shield for use with LD-9328, LD-9338, LD-9428	1	9	15.15
LD-9644	27	Plastic Shield for use with LD-9244	1	11	13.60
LD-9645	27	Plastic Shield for use with LD-9344	1	11	13.60
LD-9646	27	Plastic Shield for use with LD-9346	1	14	22.45
LD-9648	27	Plastic Shield for use with LD-9348	1	18	22.45

METAL LOUVERS

LD-9724	27	Metal Louver for use with LD-9224	1	10	15.15
LD-9725	27	Metal Louver for use with LD-9324, LD-9424	1	11	15.15
LD-9728	27	Metal Louver for use with LD-9328, LD-9428	1	18	26.15
LD-9744	27	Metal Louver for use with LD-9244	1	16	20.25
LD-9745	27	Metal Louver for use with LD-9344	1	16	20.25
LD-9748	27	Metal Louver for use with LD-9348	1	29	34.50

ECONOMY INDUSTRIAL—DIRECT

LD-10204	33	HPF-UL	0°	2F40—4′ Preheat All White B.E. Finish	1	15	13.25
LD-10206	33	HPF-UL	50°	2F40—4′ Rapid Start All White B.E. Finish	1	14	13.90
LD-10308	33	HPF-UL	50°	2F96T12—8′ Slimline All White B.E. Finish	1	27	21.95

STANDARD INDUSTRIAL—DIRECT

LD-10224	34	HPF-UL	0°	2F40—4′ Preheat All White B.E. Finish	1	21	17.75
LD-10226	34	HPF-UL	50°	2F40—4′ Rapid Start All White B.E. Finish	1	20	16.60
LD-10227	34	HPF-UL	50°	2F40—4′ Rapid Start White Porcelain Reflector	1	22	22.80
LD-10324	34	HPF-UL	50°	2F48T12—4′ Slimline All White B.E. Finish	1	21	24.85
LD-10325	34	HPF-UL	50°	2F48T12—4′ Slimline White Porcelain Reflector	1	22	29.05
LD-10328	34	HPF-UL	50°	2F96T12—8′ Slimline All White B.E. Finish	1	40	27.05
LD-10329	34	HPF-UL	50°	2F96T12—8′ Slimline White Porcelain Reflector	1	43	35.45

STANDARD INDUSTRIAL—SLOTTED

LD-10234	35	HPF-UL	0°	2F40—4′ Preheat All White B.E. Finish	1	22	18.80
LD-10236	35	HPF-UL	50°	2F40—4′ Rapid Start All White B. E. Finish	1	20	19.65
LD-10237	35	HPF-UL	50°	2F40—4′ Rapid Start White Porcelain Reflector	1	22	23.85
LD-10334	35	HPF-UL	50°	2F48T12—4′ Slimline All White B. E. Finish	1	27	26.95
LD-10335	35	HPF-UL	50°	2F48T12—4′ Slimline White Porcelain Reflector	1	22	31.15
LD-10338	35	HPF-UL	50°	2F96T12—8′ Slimline All White B. E. Finish	1	41	29.15
LD-10339	35	HPF-UL	50°	2F96T12—8′ Slimline White Porcelain Reflector	1	41	37.50

TURRET TYPE INDUSTRIAL—DIRECT





CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
LD-10246	36	HPF-UL	50°	2F40—4′ Rapid Start All White B. E. Finish	1	21	21.95
LD-10247	36	HPF-UL	50°	2F40—4′ Rapid Start White Porcelain Reflector	1	23	26.15
LD-10344	36	HPF-UL	50°	2F48T12—4′ Slimline All White B. E. Finish	1	23	27.05
LD-10345	36	HPF-UL	50°	2F48T12—4′ Slimline White Porcelain Reflector	1	25	31.25
LD-10444	36	HPF-UL	50°	2F48T12/HO—4′ High Output 800 MA. All White B. E. Finish	1	26	40.35
LD-10445	36	HPF-UL	50°	2F48T12/HO—4′ High Output 800 MA. White Porcelain Reflector	1	28	44.50
LD-10544	37	HPF-UL	−20°	2F48 (PG-VHO-SHO) 4′ 1500 MA All White Baked Enamel Finish	1	31	48.70
LD-10545	37	HPF-UL	−20°	2F48 (PG-VHO-SHO) 4′ 1500 MA White Porcelain Reflector	1	33	52.90
LD-10348	36	HPF-UL	50°	2F96T12—8′ Slimline All White B. E. Finish	1	40	31.85
LD-10349	36	HPF-UL	50°	2F96T12—8′ Slimline White Porcelain Reflector	1	44	40.25
LD-10448	36	HPF-CBM	0°	2F96T12/HO—8′ High Output 800 MA. All White B. E. Finish	1	47	45.55
LD-10449	36	HPF-CBM	0°	2F96T12/HO—8′ High Output 800 MA. White Porcelain Reflector	1	52	53.90
LD-10548	37	HPF-CBM	−20°	2F96 (PG-VHO-SHO) 8′ 1500 MA All White B. E. Finish	1	52	71.05
LD-10549	37	HPF-CBM	−20°	2F96 (PG-VHO-SHO) 8′ 1500 MA White Porcelain Reflector	1	57	79.40

TURRET TYPE INDUSTRIAL—SLOTTED





CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
LD-10256	36	HPF-UL	50°	2F40—4′ Rapid Start All White B. E. Finish	1	21	24.05
LD-10257	36	HPF-UL	50°	2F40—4′ Rapid Start White Porcelain Reflector	1	23	28.20
LD-10354	36	HPF-UL	50°	2F48T12—4′ Slimline All White B. E. Finish	1	23	28.10
LD-10355	36	HPF-UL	50°	2F48T12—4′ Slimline White Porcelain Reflector	1	25	32.30
LD-10454	36	HPF-UL	0°	2F48T12/HO—4′ High Output 800 MA. All White B. E. Finish	1	26	41.40
LD-10455	36	HPF-UL	0°	2F48T12/HO—4′ High Output 800 MA. White Porcelain Reflector	1	28	45.55

TURRET TYPE INDUSTRIAL—SLOTTED

CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
LD-10554	37	HPF-UL	−20°	2F48 (PG-VHO-SHO) 4′ 1500 MA All White B. E. Finish	1	31	49.75
LD-10555	37	HPF-UL	−20°	2F48 (PG-VHO-SHO) 4′ 1500 MA White Porcelain Reflector	1	33	53.90
LD-10358	36	HPF-UL	50°	2F96T12—8′ Slimline All White B.E. Finish	1	40	33.95
LD-10359	36	HPF-UL	50°	2F96T12—8′ Slimline White Porcelain Reflector	1	44	42.30
LD-10458	36	HPF-CBM	0°	2F96T12/HO—8′ High Output 800 MA. All White B.E. Finish	1	47	47.65
LD-10459	36	HPF-CBM	0°	2F96T12/HO—8′ HighOutput 800 MA White Porcelain Reflector	1	52	56.00
LD-10558	37	HPF-CBM	20°	2F96 (PG-VHO-SHO) 8′ 1500 MA All White B. E. Finish	1	52	72.10
LD-10559	37	HPF-CBM	20°	2F96 (PG-VHO-SHO) 8′ 1500 MA White Porcelain Reflector	1	57	80.45

140 SERIES



CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
LD-14001	7	HPF-UL	50°	2F40—4′ Rapid Start	1	37	43.90
LD-14002	7	HPF-UL	50°	4F40—4′ Rapid Start	1	41	55.40
LD-14003	7	HPF-UL	50°	2F96T12—8′ Slimline	1	71	71.05
LD-14005	7	HPF-UL	50°	4F96T12—8′ Slimline	1	77	88.85
LD-14020	11	HPF-UL	50°	24″ Square; Surface Mounted: Quick Start; Highbake White Enamel 4-F20T12/QS	1	26	44.95

35° SHIELDING—METAL BAFFLE—PLASTIC SIDES



CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG	LIST PRICE EACH
LD-16301	17	HPF-UL	50°	2F40—4′ Rapid Start	1	17	22.90
LD-16303	17	HPF-UL	50°	4F40—4′ Rapid Start	1	26	38.65
LD-16305	17	HPF-UL	50°	2F96T12—8′ Slimline	1	33	39.20
LD-16307	17	HPF-UL	50°	4F96T12—8′ Slimline	1	50	62.20
LD-16309	17	HPF-UL	50°	4F40—8′ Rapid Start Tandem	1	34	46.20

45° SHIELDING—METAL BAFFLE—PLASTIC SIDES



CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG	LIST PRICE EACH
LD-16302	17	HPF-UL	50°	2F40—4′ Rapid Start	1	18	26.65
LD-16304	17	HPF-UL	50°	4F40—4′ Rapid Start	1	28	44.83
LD-16306	17	HPF-UL	50°	2F96T12—8′ Slimline	1	33	45.65
LD-16308	17	HPF-UL	50°	4F96T12—8′ Slimline	1	55	73.05
LD-16310	17	HPF-UL	50°	4F40—8′ Rapid Start Tandem	1	36	52.15

35° SHIELDING—METAL BAFFLE—METAL SIDES



CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG	LIST PRICE EACH
LD-16321	15	HPF-UL	50°	2F40—4′ Rapid Start	1	17	22.35
LD-16323	15	HPF-UL	50°	4F40—4′ Rapid Start	1	26	38.15
LD-16325	15	HPF-UL	50°	2F96T12—8′ Slimline	1	33	38.65
LD-16327	15	HPF-UL	50°	4F96T12—8′ Slimline	1	50	61.65
LD-16329	15	HPF-UL	50°	4F40—8′ Rapid Start Tandem	1	34	45.65

45° SHIELDING—METAL BAFFLE—METAL SIDE



CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG	LIST PRICE EACH
LD-16322	15	HPF-UL	50°	2F40—4′ Rapid Start	1	17	26.15
LD-16324	15	HPF-UL	50°	4F40—4′ Rapid Start	1	28	44.30
LD-16326	15	HPF-UL	50°	2F96T12—8′ Slimline	1	33	45.15
LD-16328	15	HPF-UL	50°	4F96T12—8′ Slimline	1	55	72.50
LD-16330	15	HPF-UL	50°	4F40—8′ Rapid Start Tandem	1	36	51.60

CORRIDOR

CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG	LIST PRICE EACH
LD-41801	22	LPF-UL	50°	1F40—4′ Rapid Start	1	15	24.05
LD-41802	22	HPF-UL	50°	2F40—8′ Rapid Start Tandem	1	26	36.70

SECURITY

CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG	LIST PRICE EACH
LD-42401	29	HPF-UL	50°	2F40—4′ Rapid Start	1	36	62.70
LD-42402	29	HPF-UL	50°	4F40—4′ Rapid Start	1	39	82.55

TRIM TYPE FOR PLASTER OR FURRED ACOUSTIC CEILINGS

CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG	LIST PRICE EACH
LD-55501	9	HPF-UL	50°	2F40—4′ Rapid Start	1	39	49.10
LD-55502	9	HPF-UL	50°	4F40—4′ Rapid Start	1	44	61.65
LD-55503	9	HPF-UL	50°	2F96T12—8′ Slimline	1	75	80.45
LD-55504	9	HPF-UL	50°	4F96T12—8′ Slimline	1	81	99.30

LAY IN TYPE FOR INVERTED TEE BAR CEILINGS

CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG	LIST PRICE EACH
LD-55505	9	HPF-UL	50°	2F40—4′ Rapid Start	1	39	44.95
LD-55506	9	HPF-UL	50°	4F40—4′ Rapid Start	1	44	58.50
LD-55507	9	HPF-UL	50°	2F96T12—8′ Slimline	1	75	78.40
LD-55508	9	HPF-UL	50°	4F96T12—8′ Slimline	1	81	100.30

CATALOG NUMBER	PAGE NUMBER	BALLAST TYPE	MIN. STARTING TEMP. °F	DESCRIPTION	STD. PKG.	WT. STD. PKG	LIST PRICE EACH
LD-55520	11	HPF-UL	50°	24″ Square; Recessed; Quick Start; Highbake White Enamel 4-F20T12/QS; (Trim Type Only)	1	30	52.25

ACCESSORIES

	CATALOG NUMBER	PAGE NUMBER	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
	LD-9190	38	Chromium End Cap Medallion for Strips w/Plastic Shield	18	4	$2.60
	LD-9191	38	Chromium Joiner for Plastic Shield (Strip)	36	2	.20
	LD-9192	38	Universal Valance Mounting Kit (2 to a Set)	12 sets	19	4.05
	LD-9193	38	10′ Cord and Plug Set for Valance	12	5	1.55
	LD-9195	38	Symmetric Reflector—For 40W Only			3.15

	CATALOG NUMBER	PAGE NUMBER	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
	LD-9196	38	Asymmetric Reflector—For 40W Only			3.15
	LD-9290	38	24″ Rigid Stem Pendant (⅜″ Pipe) Extra Stem Lengths—Per Inch	18	31	2.00
	LD-9291	38	24″ Rigid Twin Stem Pendant (⅜″ Pipe) Extra Stem Lengths—Per Inch	18	71	3.85
	LD-9292	38	12″ Extension Stem (⅜″ Pipe)	24	10	.40
	LD-9293	38	Extension Coupling (⅜″ Pipe)	50	1	.30
	LD-9294	38	Joiner for Continuous Runs	18	20	1.35
	LD-9296	38	Outlet Box Cover—B.E.	Bulk		.40
	LD-9301	38	1½″ Drop Ceiling Spacer	12	6	.85
	LD-9302	38	45° Single Swivel Stem (24″ Long)	Bulk		2.30
	LD-9303	38	Double Stem Set (24″ Long)	Bulk		4.40
	LD-9304	38	1½″ Drop Spacer	Bulk		.95
	LD-9305	38	"T" Clamp	Bulk		1.05
	LD-9306	38	Fixed Bottom Stem Plate for Use w/LD-9302	Bulk		.75
	LD-9307	38	Swivel Bottom Stem Plate for Use w/LD-9302	Bulk		1.15
	LD-9308	38	45° Bottom Swivel	Bulk		1.05
	LD-9309	38	Fixed Bottom Connector for Continuous Rows	Bulk		.95
	LD-9310	38	Swivel Bottom Connector for Continuous Rows	Bulk		1.05
	LD-10390 LD-10490	38 38	Sliding Hanger Bracket for 3⅝″ Channel Sliding Hanger Bracket for 4¼″ Channel	Bulk Bulk		.75 .85
	LD-10491	39	Chain Set with 4 "S" Hooks. 3′ long. #14 Jack Chain	Bulk		1.15
	LD-10492	39	Reflector Aligner for Comet Series	Bulk		.20
	LD-10493	39	4′—18/2 SJ. Cord and Plug Set	Bulk		1.05
	LD-10494	39	4′—18/3 SJ. Cord and Plug Set	Bulk		1.35
	LD-10495	39	Reflector Aligner White for Standard Industrial	Bulk		.20
	LD-10496	39	Reflector Aligner White for Turret Type Industrial	Bulk		.20
	LD-10497	39	Messenger Cable Clamp	Bulk	½	1.05
	LD-10498	39	Connector Strap for Continuous Rows	Bulk	½	.95
	LD-10499	39	Connector Strap for Continuous Rows	Bulk		1.35
	LD-16391	39	Top Plate for 2 Lamp Fixtures (order 1 pr. for 4′ Unit; Order 2 pair for 8′ Units)			3.45 Pr.

Prices Quoted Do Not Include Lamps

ACCESSORIES

	CATALOG NUMBER	PAGE NUMBER	DESCRIPTION	STD. PKG.	WT. STD. PKG.	LIST PRICE EACH
	LD-16392 LD-16393	39	Top Plate for 4 Lamp Fixtures x 4′ Units Top Plate for 4 Lamp Fixtures x 8′ Units			5.75 Pr. 9.95 Set
	LD-41890	39	Continuous Row Joiner Strap			.40
	LD-55590	39	2x4 Plaster Frame w/Yoke, Individual			12.50
	LD-55591	39	2x8 Plaster Frame w/Yoke, Individual			15.70
	LD-55592	39	2x4 Plaster Frame w/Yoke, Continuous			$10.45
	LD-55593	39	2x8 Plaster Frame w/Yoke, Continuous			13.60
	LD-55594	39	Plaster Frame Ends (Pair)			2.10
	LD-55595	39	Plaster Frame (LD-55520)			8.35
	LD-55596	39	Pair—Yoke			5.20

REPLACEMENT GLASS

Catalog Number	Glass Number	List Price Each
LC-1811	G-521-2	$11.10
LC-1812	G-521-3	11.10
LC-1813	G-521-4	11.10
LC-1814	G-521-5	8.45
LC-1821	G-635	19.40
LC-1822	G-635-1	19.40
LC-1823	G-635-2	19.40
LC-1824	G-635-3	13.90
LC-1826	G-730	6.10
LC-1836	G-480	3.90
LC-1837	G-480	3.90
LC-1838	G-480	3.90
LC-1845	G-525	8.75
LC-1846	G-525-1	12.75
LC-1856	G-641	19.40
LC-1864	G-733	6.45
LC-1866	G-637	9.45
LC-1873	G-385	1.10
LC-1876	G-647	9.45
LC-1877	G-647	9.45
LC-1886	G-648	12.20
LC-1887	G-648	12.20
LC-1897	G-713	16.30
LC-1900	G-732	20.00
LC-1905	G-731	20.00
LC-1906	G-729	15.55
LC-1990	G-649	14.20

Catalog Number	Glass Number	List Price Each
LC-4000	G-650	$ 7.45
LC-4005	G-651	10.35
LC-4010	G-652	12.10
LC-4103	G-449	2.35
LC-4113	G-450	2.75
LC-4123	G-479	4.45
LC-4133	G-662	6.20
LC-4183	G-510	2.20
LC-4188	G-502	4.65
LC-4193	G-661	14.45
LC-4461	G-585	11.10
LC-4466	G-544	15.55
LD-4725	P-119	7.30
LD-4745	P-121	9.65
LC-5051	G-638	6.45
LC-5052	G-638-1	6.45
LC-5053	G-638-2	6.45
LC-5054	G-638-3	5.45
LC-6400	G-645	8.70
LC-6405	G-640	3.45
LC-7010	G-639	5.00
LC-7410	G-639	5.00
V-7882	G-490	2.00
V-7982	G-490	2.00
LC-8235	G-67	1.25
LD-8750	G-169	3.15
LD-8850	G-178	6.00

CERTIFIED C. B. M. BALLAST ADDERS

SERIES	BASE	FOR 118 VOLT LIST PRICE EACH	FOR 277 VOLT LIST PRICE EACH
1-40W Preheat	Add to LPF-UL	$4.80	
2-40W Preheat	Add to LPF-UL	3.05	$8.15
1-40W Rapid Start	Add to HPF-UL	Std.	.50
2-40W Rapid Start	Add to HPF-UL	.65	.95
3-40W Rapid Start	Add to HPF-UL	.65	1.35
430 MA SLIMLINE			
1-48″	Add to HPF-UL	Std.	.50
2-48″	Add to HPF-UL	.85	1.25
3-48″	Add to HPF-UL	.85	1.80
1-72″	Add to HPF-UL	3.15	3.65
2-72″	Add to HPF-UL	3.15	3.65
3-72″	Add to HPF-UL	6.25	7.10
1-96″	Add to HPF-UL	3.15	3.15
2-96″	Add to HPF-UL	3.15	3.15
3-96″	Add to HPF-UL	6.25	6.25

CERTIFIED C. B. M. BALLAST ADDERS

SERIES	BASE	FOR 118 VOLT LIST PRICE EACH	FOR 277 VOLT LIST PRICE EACH
800 MA EQUIPMENT			
1-48″	Add to HPF-UL	(NA)	(NA)
2-48″	Add to HPF-UL	(NA)	(NA)
1-72″	No Adder	Std.	(NA)
2-72″	Add to HPF-UL	(NA)	.65
1-96″	No Adder	Std.	.65
2-96″	No Adder	Std.	.65
Note: For 4 Lamp Adders—Double 2 Lamp Adders.			
1500 MA EQUIPMENT (Power Groove SHO, VHO)			
1-48″	Add to HPF-UL	(NA)	(NA)
2-48″	Add to HPF-UL	(NA)	(NA)
1-72″	Add to HPF-UL	(NA)	(NA)
2-72″	No Adder	Std.	Std.
1-96″	No Adder	Std.	(NA)
2-96″	No Adder	Std.	No Adder
(NA)—Not Available			
ADDERS FOR FUSES AND RADIO INTERFERENCE SUPPRESSORS			
GE-89G635	Radio Suppressor		$6.25
Radio Interference Suppressor Wired in Any Fixture—One Required per Fixture			1.25
FUSES BUSSMAN IN/LINE (One Required per Ballast)			
1 Ampere	Up to Max 300 Volt		.50
1½ Ampere	Up to Max 300 Volt		.50
3 Ampere	Up to Max 300 Volt		.50

ADDERS FOR LOW TEMPERATURE OPERATION—118 VOLT

		MINIMUM STARTING TEMP. °F	LIST PRICE EACH
40W EQUIPMENT			
1-40 WS-LPF and HPF 2-40 WS-HPF-UL	Using Low Temperature Lamps	0°	No Adder
1-40 RS-LPF-UL	Using Advance LQF-140 Flashing Ballast	0°	$2.80
2-40 RS-LPF-UL	Using 2 Advance LQF-140 Flashing Ballast (LD-9153 Only)	0°	5.65
**1-40 RS-HPF			(NA)
2-40 RS-HPF-CBM	Add to HPF-UL (Except LD-9153)	0°	5.65
**3-40 RS-HPF			(NA)
**Not available for Low Temperature Operation in either HPF-UL or HPF-CBM (NA)—Not Available			
430 MA SLIMLINE			
1-48″ HPF-CBM	No Adder	0°	Std.
2-48″ HPF-CBM-LL	Add to HPF-UL	0°	3.55
3-48″ HPF-CBM-LL	Add to HPF-UL	0°	3.55
1-72″ HPF-CBM	Add to HPF-UL	0°	3.15
*2-72″ HPF-CBM-LL	Add to HPF-UL	0°	10.25
3-72″ HPF-CBM-LL	Add to HPF-UL	0°	13.35
1-96″ HPF-CBM	Add to HPF-UL	0°	3.15
*2-96″ HPF-CBM-LL	Add to HPF-UL	0°	10.25
3-96″ HPF-CBM-LL	Add to HPF-UL	0°	13.35
*Cannot be used with LD-9360-66-68-69; LD-10308-09-28-29-38-39			
800 MA HIGH OUTPUT			
1-48″ HPF-UL	Add to HPF-UL	−20°	2.70
2-48″ HPF-UL	Add to HPF-UL	−20°	1.55
1-72″ HPF-UL	Add to HPF-UL	−20°	2.90
2-72″ HPF-UL	No Adders	−20°	Std.
1-96″ HPF-UL	Add to HPF-UL	−20°	2.90
2-96″ HPF-CBM	Add to HPF-UL	−20°	4.20
Note: For 4 Lamp Adders Double 2 Lamp Adders			
1500 MA (POWER GROOVE, SHO, VHO)			
1-48″ HPF-UL	No Adder	−20°	Std.
2-48″ HPF-CBM	Add to HPF-UL	−20°	No Adder
1-72″ HPF-UL	Add to HPF-UL	−20°	No Adder
2-72″ HPF-CBM	No Adder	−20°	Std.
1-96″ HPF-CBM	No Adder	0°	Std.
2-96″ HPF-CBM	No Adder	−20°	Std.
Note: Fixtures can be furnished with Weather-Proof Leads—Prices on Request.			